



CONCRETE FOUNDATION (BY OTHERS)

18 GA. 300 SERIES STAINLESS STEEL BOOT WITH WELDED JOINTS, SET IN FULL BED OF ADHESIVE

POURABLE SEALANT
CONCRETE PROTECTION SLAB (BY OTHERS)

15 IN. x 15 IN. & 21 IN. x 21 IN. COLLAR LAURENCO WATERPROOFING PLYS, IN ADHESIVE, TIGHTLY FITTED TO MICROPILE

LAURENCO SECOND WATERPROOFING PLY, EMBED IN ADHESIVE

LAURENCO FIRST WATERPROOFING PLY, EMBED IN ADHESIVE LEAVING 2 IN. NOT ADHERED

RELEASE SHEET OF LAURENCO WATERPROOFING PLY AROUND MICROPILE

LAURENCO PROTECTION COURSE

APPROX. 3 IN. DIA. REBAR MICROPILE (BY OTHERS)

LAURENCO APPROVED WATERSTOP (BY OTHERS)

LAURENCO BUTYL TAPE, TIGHTLY BUTT PIECES TOGETHER TO PROVIDE INDICATED DIMENSIONS

NON-SHRINK GROUT (BY OTHERS)

1.1752

0.9620

0.3917

0.3917

0.3917

0.3060

REINFORCED CONCRETE MUD SLAB (BY OTHERS)

LAURENCO BUTYL TAPE, TIGHTLY BUTT PIECES TOGETHER TO PROVIDE INDICATED DIMENSIONS

METAL CASING (BY OTHERS)

COMPACTED SOIL (BY OTHERS)

CONCRETE MICROPILE (BY OTHERS)